



EXPERIENCE  
THE **FUTURE** OF  
**PAYMENT**  
**TECHNOLOGY**

# Contents

## Products

VL 100  
VL 110  
VL 300  
VL 500  
VP 100  
VP 300  
RCKT

05

## Features

Virtual Terminal

16

## Special Features

Engage my Customer

18



Valor PayTech is a fast-growing fintech provider of end-to-end, processor-agnostic omnichannel payments solutions. The company equips both merchants and reseller partners with comprehensive, cutting-edge tools and flexibility to succeed in today's rapidly changing business environment.

Experience the future of payments.

For more information, visit [valorpaytech.com](http://valorpaytech.com).

# Cloud Based Omnichannel Solutions



# A Wide Range of Smart POS Solutions

VL300



VL110



VL500




VP100



RCKT mPOS



VL100



VP110



# Cutting-edge Countertop Solutions

Redefining The Merchant & Customer Payment Experience



Countertop  
Terminal

VL100

PIN pad

VL300



- Ethernet & Wi-Fi Connectivity
- Customizable Surcharge & Cash Discounting Program
- Auto-Connection Fallback Procedure
- Large Scale 3.5" Touch Screen Display
- Text & Store Digital Receipts
- Mobile Number Capturing
- Dual MID Feature
- Contactless Payment
- Supports On Screen Signature (Terminal & Pin Pad)
- Remote Diagnostics
- Built-In Customer Feedback Rating System
- Instant Deployment
- Bill Splitting
- SMS Text / Email Marketing with Engage My Customer
- Supports Remote Key Injection

## Specifications

<b>Processor*</b>		32-bit Secure Microprocessor running powerful Linux based OS
<b>Memory*</b>	Flash / RAM	128 MB / 64MB (Up to 256MB / 128MB)
	Micro-SD Socket	Yes
<b>Display*</b>		3.5" Color TFT LCD   320 x 480 Pixels
<b>Card Reader</b>	Magnetic Stripe	ISO 7810, 7811, 7813 Triple Track, Bi-Directional
	Contact Card	User Card SAM Card
	Contactless (Optional)	ISO 7816 ID-1 1.8V / 3V / 5V T=0, T=1 2 (Up to 4) ISO 14443 Type A, B   ISO 18092 NFC Mifare & Sony FeliCa Working Frequency 13.56 MHz
<b>Communications Interface Options</b>	Wired	Ethernet   Dial-Up Modem   RS232 * 2   USB * 2
<b>Indicators</b>	Audio Buzzer	Yes
<b>Keypad*</b>		Standard Keys (15)
<b>Printer*</b>		57 mm x 50 mm, 100mm /sec
<b>Software*</b>		SDK   KMS   TMS   GDB   CTOS Library   ISO 8583 Library   Crypto Library
<b>Power Supply*</b>	Power Adapter	DC 9V / 4A
	Battery	Li-Polymer 7.4-8.2V   1150mAh   5000mA (Max discharge current)
<b>Dimensions (mm)</b>		190(L) x 78(W) x 78(H)
<b>Weight</b>		350 g
<b>Environment*</b>	Operating Temperature	0°C to 50°C
	Storage Temperature	-20°C to 70°C
	Operating Humidity	5% to 90% Non-Condensing
	Storage Humidity	5% to 90% Non-Condensing
<b>Certification</b>		PCI PTS 4.x   EMV L1/L2   payWave   PayPass   ExperssPay   D-PAS Interac Flash   J-Speedy   FeliCa   UnionPay UICS   TQM   PBOC L1/L2
<b>Optional Additional Features</b>		Speaker Detachable Battery

\*Also featured on the VL300 PIN Pad.

\*Stand sold separately

# New Age Wireless Terminal

Portable, Powerful, Reliable



## Features & Benefits

Wireless POS  
**VL110**



- GPRS / 4G & Wi-Fi Connectivity
- Cash Discounting & Surcharge On Tip
- PCI-PTS 5.x Certified
- Large Scale Touch Screen Display
- Digital Receipts
- Email option on Screen
- Dual MID Feature
- Contactless Payment
- Contactless Scheme Certifications
- Handheld POS
- Digital Signature Capture & Pay At The Table
- High Security Processor
- Full Transaction Display
- Auto-Connection Fallback Procedure

### Specifications

<b>Processor</b>	32-bit Secure Microprocessor running powerful Linux based OS		
<b>Memory</b>	Flash / RAM	256MB / 128MB	
	Micro-SD Socket	Yes	
<b>Display</b>	3.5" Color TFT LCD with Capacitive Touch Panel   320 x 480 Pixels		
<b>Card Reader</b>	Magnetic Stripe	ISO 7810, 7811, 7813 Triple Track, Bi-Directional	
	Contact Card	User Card	ISO 7816ID-11.8V / 3V / SVT=0, T=1
		SAM Card	2 (Up to 4)
	Contactless (Optional)	ISO 14443 Type A, B   ISO 18092 NFC   Mifare and Sony FeliCa Working Frequency 13.56MHz	
Dual SIM	Yes		
<b>Communications Interface Options</b>	Handset	4G LTE / 3G   Wi-Fi   Bluetooth	
	Base	USB	
<b>Indicators</b>	LED - 4	No	
	Audio Buzzer	Yes	
<b>Keypad</b>	Standard Keys	15	
	Function Keys	No	
<b>Printer</b>	57mm x 40mm, 100mm / sec		
<b>Software</b>	SDK   KMS   TMS   GDB   CTOS Library   ISO 8583 Library   Crypto Library		
<b>Crypto</b>	TRNG   DES   T'DES   AES   RSA   MK / SK   DUKPT   T'DES DUKPT		
<b>Power Supply</b>	Power Adapter	9V / 4A   5V / 1A	
	Battery	Li-Polymer 3.7V - 4.2V 2100mAH	
<b>Dimensions (mm)</b>	160(L) x 78(W) x 67(H)		
<b>Weight</b>	496 g		
<b>Environment</b>	Operating Temperature	0°C to 50°C	
	Storage Temperature	-20°C to 70°C	
	Operating Humidity	5% to 90% Non-Condensing	
	Storage Humidity	5% to 90% Non-Condensing	
<b>Certification</b>	PCI PTS 4.X   EMV L1 / L2   payWave   PayPass   ExpressPay   D-PAS   InteracFlash   J-Speedy   FeliCa   UnionPay UICS   TQM		
<b>Optional Additional Features</b>	2D Barcode   Privacy Shield   Charging Cradle		

# Next Generation Wireless Android Pos

Full POS Capability With Wireless Portability



Android POS

VL500



- 4G & Wi-Fi Connectivity
- 5.5 Inch Touch Screen Display
- Dual MID Feature
- Supports Valor App Market
- Bill Splitting
- Cash Discounting & Surcharging on Tip
- Digital Receipts
- Contactless Payment  
Apple Pay | Google Pay
- Built-In Customer Feedback Rating System
- Customizable Menu & Inventory
- High Security Processor
- PCI-PTS 5.x Certified PIN Pad
- EMV Contact / Contactless
- Auto-Connection Fallback Procedure
- Contactless Scheme Certifications

## Specifications

<b>Processor</b>		High Speed Quad-Core Processor plus Secure MCU	
<b>Memory</b>	Flash / RAM	8GB / 1 GB (Up to 16GB / 2 GB) Micro-SD Socket	
<b>Display</b>		5.5" Color TFTLCD with Capacitive Touch Panel   1280 x 720 Pixels	
<b>Card Reader</b>	Magnetic Stripe	ISO 7810, 7811, 7813 Triple Track, Bi-Directional	
	Contact Card	User Card	ISO 7816ID-11.8V / 3V / 5VT=0, T=1
		SAM Card	2 (Up to 4)
	SAM Card	1 (Up to 2)	
	Contactless (Optional)	4G LTE / 3G   Wi-Fi   Bluetooth	
<b>Communications Interface Options</b>	Wireless	ISO 14443 Type A, B   ISO 18092NFC   Mifare (Working Frequency 1356 MHz)	
<b>Indicators</b>	Audio	Speaker and 4 Pole Audio Jack + Microphone	
<b>Keypad</b>		Virtual Keypad (Support PIN on Touch)	
<b>Printer</b>		57mm x 40mm, 100mm / sec	
<b>Software</b>		SDK   KMS   TMS   GDB   CTOS Library   ISO 8583 Library   Crypto Library	
<b>Power Supply</b>	DC	5V / 2A	
	Battery	20 Watts Li-Ion Rechargeable Battery	
<b>Dimensions (mm)</b>		195(L) x 85(W) x 78(H)	
<b>Weight</b>		496 g	
<b>Environment</b>	Operating Temperature	0°C to 50°C	
	Storage Temperature	-20°C to 70°C	
	Operating Humidity	5% to 90% Non-Condensing	
	Storage Humidity	5% to 90% Non-Condensing	
<b>Certification</b>		PCI PTS 5.X   EMV L1 / L2   payWave   PayPass   ExpressPay   D-PAS   InteracFlash   J-Speedy   UnionPay UICS   TQM   PBOCL1/L2	
<b>Optional Additional Features</b>		Front / Rear Camera   Stylus   Base Fingerprint Reader   Barcode Reader   Microphone	

# Cutting-edge Countertop Solutions

Redefining The Merchant & Customer Payment Experience



## Features & Benefits

Countertop Terminal

VP100

PIN pad

VP300



- Multi-peripheral ports  
Wi-Fi Connectivity
- Customizable Surcharge & Cash Discounting Program
- Auto-Connection Fallback Procedure
- Large Scale 3.5" Touch Screen Display
- Text & Store Digital Receipts
- Mobile Number Capturing
- Dual MID Feature
- Contactless Payment
- Supports On Screen Signature
- Remote Diagnostics
- Built-In Customer Feedback Rating System
- Instant Deployment
- Bill Splitting
- SMS Text / Email Marketing with Engage My Customer
- Supports Remote Key Injection

### Specifications

<b>Processor*</b>	32-bit ARM Cortex-A7 secure processor, 1.2GHz	
<b>Memory</b>	256MB RAM, 256MB FLASH	
	512MB RAM, 512MB FLASH	Optional
	MicroSD card	Optional (up to 32GB)
<b>Display</b>	3.5-inch TFT full color LCD display, resolution of 320 x 480	
	Capacitive touchscreen, support electronic signature	
<b>Wired Communication</b>	Dial-up Modem	
	Ethernet 10/100 Base T	
<b>Wireless Communication</b>	WIFI (802.11 b/g/n) or WIFI (802.11 b/g/n/ac)	Optional
<b>Magnetic Card Reader</b>	Triple track, bi-directional, conforming to ISO 7810/7811/7813	
<b>Smart Card Reader</b>	Conforming to ISO 7816, 1.8V/3V/5V, synchronous & Asynchronous, T=0 & T=1	
<b>Contactless Card Reader</b>	Conforming to ISO 14443 Type A/B, Mifare, Felica	
<b>Keypad</b>	10 x alphanumeric keys, 5 x function keys, with backlight	
<b>Printer</b>	High-speed thermal printer, 32lps Paper roll diameter: 40mm Paper width: 58mm	
<b>Power Supply</b>	Input: 100-240V AC, 50Hz/60Hz, 0.7A	
	Output: 9.0V DC, 2.5A	
	Backup Li-ion battery	Optional
<b>Dimensions</b>	171mm(L) x 80mm(W) x 67mm (H)	
<b>Weight</b>	315g	
<b>Environment</b>	Operating temperature: 0°C~40°C (32 F ~104 F )	
	Storage temperature: -20°C~60°C (-4 F ~140 F )	
	Relative humidity: 5%~93% (Non-condensing)	
<b>Certifications</b>	PCI PTS 6.x, EMV L1/L2, EMV Contactless L1, PayPass, PayWave, American ExpressPay	
	Discover D-PAS, UnionPay QuickPass, TQM, CE, RoHS	

# Valor's RCKT a Pocket-Sized POS

Instantly Pairs with Valor's Mobile Application



mPOS  
**RCKT**



- Pairs Instantly with Mobile Device
- Contactless Scheme Certifications
- Long Lasting Battery Life
- PCI-PTS 5.x Certified PIN Pad
- Compatible with IOS & Android  
Apple Pay, Google Pay
- High Speed Data Transfer
- EMV Contact / Contactless
- Accepts Pin Debit and EBT
- Powerful Processor Large Memory
- Embedded NFC Reader
- Supports Remote Key Injection
- Cash Discount & Surcharge Programs

Specifications	
OS	RTOS (proprietary)
CPU	32-bit high performance secure processor
Memory	512KB SRAM, 512KB+4MB FLASH
	512KB SRAM, 512KB+8MB FLASH
Display	1.7-inch monochrome LCD display, resolution of 128 x 64, with backlight
	Bluetooth 4.2
Magnetic Card Reader	Triple track, bi-directional, conforming to ISO 7810/7811/7813      Optional
Smart Card Reader	EMV L1/L2, conforming to ISO 7816, 1.8V/3V/ 5V
	Synchronous & Asynchronous, T=0 & T=1
Contactless Card Reader	EMV Contactless L1, conforming to ISO 14443 Type A/B, Mifare , Felica
Audio	Built-in buzzer
Keypad	10 x alphanumeric keys, 5 x function keys, 1 x Power button
Peripheral Ports	1 x TYPE-C for charging and communication
Battery	Li-ion battery, 3.7V/470mAh/1.74Wh
	Li-ion battery, 3.7V/1100 mAh/4.07Wh      4G/2G Version
Power Supply	5V DC, 0.5A
	5V DC, 1.0 A      4G/2G Version
Dimensions	102.7mm(L) x 55.8mm(W) x 16.5mm(H)
	102.7mm(L) x 55.8mm(W) x 17.9mm(H)      4G/2G Version
Weight	100g including battery
	108g including battery      4G/2G Version
Environment	Operating temperature: 0°C~40°C(32 F ~104 F )
	Storage temperature: -20°C~70°C (-4 F ~158 F )
	Relative humidity: 10%~90% (Non-condensing)
Certifications*	PCI PTS 5.x, EMV L1/L2, EMV Contactless L1, PayPass, payWave
	American ExpressPay, Discover D-PAS, TQM, CE, RoHS



# The Cloud Based Portal that does it all

A True Omni-Channel Solution



Portal



Virtual Terminal

## Portal

- Engage my customer
- Download & Email Receipts
- Instant Boarding
- Reports
- Real time Transactions
- Customize Device Parameters
- Batch Settlements
- Valor Shield Risk Management Tool



## Virtual Terminals



- Dynamic Transaction Descriptor
- Auto Apply for L2 & L3 Benefits
- Tokenized Payments
- E-commerce Integrations
- E invoice Text to Pay & Email to Pay
- Recurring Payments
- Pay Now Link Hosted Payment Page



# The Power of Customer Engagement

Increase Merchant Revenue | Decrease Attrition



Engage My Customer

Analyze your customers spending habits and send targeted marketing campaigns, all within the Valor Portal.



## Customer Retention

### Protect Your Reputation

Using Valor's Survey Tool with Engage My Customer empowers merchants to instantly respond to negative feedback, stopping bad reviews before they occur.

### Win Back Lost Customers

Send targeted marketing campaigns to customers who have stopped visiting your business for a specified amount of time and win them back.



## Digital Receipt Marketing

By encouraging customers to "go green" and opt for an SMS receipt, Merchants not only help protect our environment they:

- Collect customer's contact information to use for future marketing purposes
- Can add powerful marketing messages and clickable links to the digital receipt



## Target VIP & Large Spenders

### Retain VIP Customers

Customers that frequently visit your business should never be lost. Stay in communication with your VIP Customers and they will never leave.

### Market to High Spenders

In most businesses, 20% of your customers account for 80% of your revenue. Losing one is not an option. Stay in communication and keep them spending.



## When do my customers spend?


Understanding when your customers spend money is a valuable statistic. Prepare your business for the busy times and send marketing messages to increase traffic during slow times.





P (800) 615-8755, 348 RXR Plaza  
Uniondale, NY 11553, United States

[valorpaytech.com](http://valorpaytech.com)



Scan the QR Code  
with your mobile  
device to contact  
our Sales Team.

Copyright © 2019-22, Valor PayTech, LLC. All rights reserved.  
This booklet is protected by U.S. and International copyright  
laws. Reproduction and/or distribution of the contents of this  
publication without the express written consent of the owner  
is prohibited.



**1.800.615.8755**

[sales@valorpaytech.com](mailto:sales@valorpaytech.com)

**THE FUTURE OF PAYMENT TECHNOLOGY**